



Chapter 18 : Concurrency Control

Database System Concepts, 7th Ed.

©Silberschatz, Korth and Sudarshan

See www.db-book.com for conditions on re-use



Outline

- Lock-Based Protocols
- Timestamp-Based Protocols
- Validation-Based Protocols
- Multiple Granularity
- Multiversion Schemes
- Insert and Delete Operations
- Concurrency in Index Structures



Lock-Based Protocols

- A lock is a mechanism to control concurrent access to a data item
- Data items can be locked in two modes :
 1. **exclusive** (*X*) *mode*. Data item can be both read as well as written. X-lock is requested using **lock-X** instruction.
 2. **shared** (*S*) *mode*. Data item can only be read. S-lock is requested using **lock-S** instruction.
- Lock requests are made to concurrency-control manager. Transaction can proceed only after request is granted.



Lock-Based Protocols (Cont.)

- **Lock-compatibility matrix**

	S	X
S	true	false
X	false	false

- A transaction may be granted a lock on an item if the requested lock is compatible with locks already held on the item by other transactions
- Any number of transactions can hold shared locks on an item,
- But if any transaction holds an exclusive on the item no other transaction may hold any lock on the item.



Schedule With Lock Grants

- Grants omitted in rest of chapter
 - Assume grant happens just before the next instruction following lock request
- This schedule is not serializable (why?)
- A **locking protocol** is a set of rules followed by all transactions while requesting and releasing locks.
- Locking protocols enforce serializability by restricting the set of possible schedules.

T_1	T_2	concurrency-control manager
lock-X(B)		grant-X(B, T_1)
read(B) $B := B - 50$ write(B) unlock(B)		
	lock-S(A)	grant-S(A, T_2)
	read(A) unlock(A) lock-S(B)	
		grant-S(B, T_2)
	read(B) unlock(B) display($A + B$)	
lock-X(A)		grant-X(A, T_1)
read(A) $A := A + 50$ write(A) unlock(A)		



Deadlock

- Consider the partial schedule

T_3	T_4
lock-X(B)	
read(B)	
$B := B - 50$	
write(B)	
	lock-S(A)
	read(A)
	lock-S(B)
lock-X(A)	

- Neither T_3 nor T_4 can make progress — executing **lock-S(B)** causes T_4 to wait for T_3 to release its lock on B , while executing **lock-X(A)** causes T_3 to wait for T_4 to release its lock on A .
- Such a situation is called a **deadlock**.
 - To handle a deadlock one of T_3 or T_4 must be rolled back and its locks released.




Deadlock (Cont.)

- The potential for deadlock exists in most locking protocols. Deadlocks are a necessary evil.
- **Starvation** is also possible if concurrency control manager is badly designed. For example:
 - A transaction may be waiting for an X-lock on an item, while a sequence of other transactions request and are granted an S-lock on the same item.
 - The same transaction is repeatedly rolled back due to deadlocks.
- Concurrency control manager can be designed to prevent starvation.



The Two-Phase Locking Protocol

- A protocol which ensures conflict-serializable schedules.
- Phase 1: **Growing Phase**
 - Transaction may obtain locks
 - Transaction may not release locks
- Phase 2: **Shrinking Phase**
 - Transaction may release locks
 - Transaction may not obtain locks
- The protocol assures serializability. It can be proved that the transactions can be serialized in the order of their **lock points** (i.e., the point where a transaction acquired its final lock).





The Two-Phase Locking Protocol (Cont.)

- Two-phase locking *does not* ensure freedom from deadlocks
- Extensions to basic two-phase locking needed to ensure recoverability of freedom from cascading roll-back
 - **Strict two-phase locking:** a transaction must hold all its exclusive locks till it commits/aborts.
 - Ensures recoverability and avoids cascading roll-backs
 - **Rigorous two-phase locking:** a transaction must hold *all* locks till commit/abort.
 - Transactions can be serialized in the order in which they commit.
- Most databases implement rigorous two-phase locking, *but refer to it as simply two-phase locking*



The Two-Phase Locking Protocol (Cont.)

- Two-phase locking is not a necessary condition for serializability
 - There are conflict serializable schedules that cannot be obtained if the two-phase locking protocol is used.
- In the absence of extra information (e.g., ordering of access to data), two-phase locking is necessary for conflict serializability *in the following sense*:
 - *Given a transaction T_i that does not follow two-phase locking, we can find a transaction T_j that uses two-phase locking, and a schedule for T_i and T_j that is not conflict serializable.*

T_1	T_2
lock-X(B)	
read(B)	
$B := B - 50$	
write(B)	
unlock(B)	
	lock-S(A)
	read(A)
	unlock(A)
	lock-S(B)
	read(B)
	unlock(B)
	display($A + B$)
lock-X(A)	
read(A)	
$A := A + 50$	
write(A)	
unlock(A)	



Locking Protocols

- Given a locking protocol (such as 2PL)
 - A schedule S is **legal** under a locking protocol if it can be generated by a set of transactions that follow the protocol
 - A protocol **ensures** serializability if all legal schedules under that protocol are serializable



Lock Conversions

- Two-phase locking protocol with lock conversions:
 - Growing Phase:
 - can acquire a lock-S on item
 - can acquire a lock-X on item
 - can **convert** a lock-S to a lock-X (**upgrade**)
 - Shrinking Phase:
 - can release a lock-S
 - can release a lock-X
 - can convert a lock-X to a lock-S (**downgrade**)
- This protocol ensures serializability



Automatic Acquisition of Locks

- A transaction T_i issues the standard read/write instruction, without explicit locking calls.
- The operation **read**(D) is processed as:
 - if** T_i has a lock on D
 - then**
 - read(D)
 - else begin**
 - if necessary wait until no other transaction has a **lock-X** on D
 - grant T_i a **lock-S** on D ;
 - read(D)
 - end**



Automatic Acquisition of Locks (Cont.)

- **write(D)** is processed as:
if T_i has a **lock-X** on D
 then
 write(D)
 else begin
 if necessary wait until no other trans. has any lock on D ,
 if T_i has a **lock-S** on D
 then
 upgrade lock on D to **lock-X**
 else
 grant T_i a **lock-X** on D
 write(D)
 end;
- **All locks are released after commit or abort**




Implementation of Locking

- A **lock manager** can be implemented as a separate process
- Transactions can send lock and unlock requests as messages
- The lock manager replies to a lock request by sending a lock grant messages (or a message asking the transaction to roll back, in case of a deadlock)
 - The requesting transaction waits until its request is answered
- The lock manager maintains an in-memory data-structure called a **lock table** to record granted locks and pending requests



Lock Table



- Dark rectangles indicate granted locks, light colored ones indicate waiting requests
- Lock table also records the type of lock granted or requested
- New request is added to the end of the queue of requests for the data item, and granted if it is compatible with all earlier locks
- Unlock requests result in the request being deleted, and later requests are checked to see if they can now be granted
- If transaction aborts, all waiting or granted requests of the transaction are deleted
 - lock manager may keep a list of locks held by each transaction, to implement this efficiently




Graph-Based Protocols

- Graph-based protocols are an alternative to two-phase locking
- Impose a partial ordering \rightarrow on the set $\mathbf{D} = \{d_1, d_2, \dots, d_n\}$ of all data items.
 - If $d_i \rightarrow d_j$ then any transaction accessing both d_i and d_j must access d_i before accessing d_j .
 - Implies that the set \mathbf{D} may now be viewed as a directed acyclic graph, called a *database graph*.
- The *tree-protocol* is a simple kind of graph protocol.



Tree Protocol



Tree protocol:

1. Only exclusive locks are allowed.
2. The first lock by T_i may be on any data item. Subsequently, a data Q can be locked by T_i only if the parent of Q is currently locked by T_i .
3. Data items may be unlocked at any time.
4. A data item that has been locked and unlocked by T_i cannot subsequently be relocked by T_i .



Graph-Based Protocols (Cont.)

- The tree protocol ensures conflict serializability as well as freedom from deadlock.
- Unlocking may occur earlier in the tree-locking protocol than in the two-phase locking protocol.
 - Shorter waiting times, and increase in concurrency
 - Protocol is deadlock-free, no rollbacks are required
- Drawbacks
 - Protocol does not guarantee recoverability or cascade freedom
 - Need to introduce commit dependencies to ensure recoverability
 - Transactions may have to lock data items that they do not access.
 - increased locking overhead, and additional waiting time
 - potential decrease in concurrency
- Schedules not possible under two-phase locking are possible under the tree protocol, and vice versa.



Deadlock Handling

- System is **deadlocked** if there is a set of transactions such that every transaction in the set is waiting for another transaction in the set.

T_3	T_4
lock-X(B)	
read(B)	
$B := B - 50$	
write(B)	
	lock-S(A)
	read(A)
	lock-S(B)
lock-X(A)	



Deadlock Handling

- **Deadlock prevention** protocols ensure that the system will *never* enter into a deadlock state. Some prevention strategies:
 - Require that each transaction locks all its data items before it begins execution (pre-declaration).
 - Impose partial ordering of all data items and require that a transaction can lock data items only in the order specified by the partial order (graph-based protocol).



More Deadlock Prevention Strategies

- **wait-die** scheme — non-preemptive
 - Older transaction may wait for younger one to release data item.
 - Younger transactions never wait for older ones; they are rolled back instead.
 - A transaction may die several times before acquiring a lock
- **wound-wait** scheme — preemptive
 - Older transaction *wounds* (forces rollback) of younger transaction instead of waiting for it.
 - Younger transactions may wait for older ones.
 - Fewer rollbacks than *wait-die* scheme.
- In both schemes, a rolled back transactions is restarted with its original timestamp.
 - Ensures that older transactions have precedence over newer ones, and starvation is thus avoided.



Deadlock prevention (Cont.)

■ Timeout-Based Schemes:


- A transaction waits for a lock only for a specified amount of time. After that, the wait times out and the transaction is rolled back.
- Ensures that deadlocks get resolved by timeout if they occur
- Simple to implement
- But may roll back transaction unnecessarily in absence of deadlock
 - difficult to determine good value of the timeout interval.
- Starvation is also possible




Deadlock Detection

■ Wait-for graph

- *Vertices:* transactions
 - *Edge from $T_i \rightarrow T_j$:* if T_i is waiting for a lock held in conflicting mode by T_j
- The system is in a deadlock state if and only if the wait-for graph has a cycle.
 - Invoke a deadlock-detection algorithm periodically to look for cycles.



Wait-for graph without a cycle



Wait-for graph with a cycle



Deadlock Recovery

- When deadlock is detected :
 - Some transaction will have to be rolled back (made a **victim**) to break deadlock cycle.
 - Select that transaction as victim that will incur minimum cost
 - Rollback -- determine how far to roll back transaction
 - **Total rollback**: Abort the transaction and then restart it.
 - **Partial rollback**: Roll back victim transaction only as far as necessary to release locks that another transaction in cycle is waiting for
- Starvation can happen (why?)
 - One solution: oldest transaction in the deadlock set is never chosen as victim




Multiple Granularity

- Allow data items to be of various sizes and define a hierarchy of data granularities, where the small granularities are nested within larger ones
- Can be represented graphically as a tree (but don't confuse with tree-locking protocol)
- When a transaction locks a node in the tree *explicitly*, it *implicitly* locks all the node's descendents in the same mode.
- **Granularity of locking** (level in tree where locking is done):
 - **Fine granularity** (lower in tree): high concurrency, high locking overhead
 - **Coarse granularity** (higher in tree): low locking overhead, low concurrency



Example of Granularity Hierarchy



The levels, starting from the coarsest (top) level are

- *database*
- *area*
- *file*
- *record*



Intention Lock Modes

- In addition to S and X lock modes, there are three additional lock modes with multiple granularity:
 - ***intention-shared*** (IS): indicates explicit locking at a lower level of the tree but only with shared locks.
 - ***intention-exclusive*** (IX): indicates explicit locking at a lower level with exclusive or shared locks
 - ***shared and intention-exclusive*** (SIX): the subtree rooted by that node is locked explicitly in shared mode and explicit locking is being done at a lower level with exclusive-mode locks.
- intention locks allow a higher level node to be locked in S or X mode without having to check all descendent nodes.



Compatibility Matrix with Intention Lock Modes

- The compatibility matrix for all lock modes is:

	IS	IX	S	SIX	X
IS	true	true	true	true	false
IX	true	true	false	false	false
S	true	false	true	false	false
SIX	true	false	false	false	false
X	false	false	false	false	false



Multiple Granularity Locking Scheme

- Transaction T_i can lock a node Q , using the following rules:
 1. The lock compatibility matrix must be observed.
 2. The root of the tree must be locked first, and may be locked in any mode.
 3. A node Q can be locked by T_i in S or IS mode only if the parent of Q is currently locked by T_i in either IX or IS mode.
 4. A node Q can be locked by T_i in X, SIX, or IX mode only if the parent of Q is currently locked by T_i in either IX or SIX mode.
 5. T_i can lock a node only if it has not previously unlocked any node (that is, T_i is two-phase).
 6. T_i can unlock a node Q only if none of the children of Q are currently locked by T_i .
- Observe that locks are acquired in root-to-leaf order, whereas they are released in leaf-to-root order.
- **Lock granularity escalation:** in case there are too many locks at a particular level, switch to higher granularity S or X lock



Insert/Delete Operations and Predicate Reads

- Locking rules for insert/delete operations
 1. An exclusive lock must be obtained on an item before it is deleted
 2. A transaction that inserts a new tuple into the database is automatically given an X-mode lock on the tuple
- Ensures that
 - reads/writes conflict with deletes
 - Inserted tuple is not accessible by other transactions until the transaction that inserts the tuple commits



Phantom Phenomenon

- Example of **phantom phenomenon**.
 - A transaction T1 that performs **predicate read** (or scan) of a relation
 - **select count(*)**
from instructor
where dept_name = 'Physics'
 - and a transaction T2 that inserts a tuple while T1 is active but after predicate read
 - **insert into instructor values** ('11111', 'Feynman', 'Physics', 94000)(conceptually) conflict in spite of not accessing any tuple in common.
- If only tuple locks are used, non-serializable schedules can result
 - E.g. the scan transaction does not see the new instructor, but may read some other tuple written by the update transaction
- Can also occur with updates
 - E.g. update Wu's department from Finance to Physics



Non-Serializable Execution Due to Phantom Phenomenon

T1	T2
Read(instructor where dept_name='Physics')	Insert Instructor in Physics Insert Instructor in Comp. Sci. Commit
Read(instructor where dept_name='Comp. Sci.')	

Another Example: T1 and T2 both find maximum instructor ID in parallel, and create new instructors with $ID = \text{maximum ID} + 1$

- Both instructors get same ID, not possible in serializable schedule



Handling Phantoms

- There is a conflict at the data level
 - The transaction performing predicate read or scanning the relation is reading information that indicates what tuples the relation contains
 - The transaction inserting/deleting/updating a tuple updates the same information.
 - The conflict should be detected, e.g. by locking the information.
- One solution:
 - Associate a data item with the relation, to represent the information about what tuples the relation contains.
 - Transactions scanning the relation acquire a shared lock in the data item,
 - Transactions inserting or deleting a tuple acquire an exclusive lock on the data item. (Note: locks on the data item do not conflict with locks on individual tuples.)
- Above protocol provides very low concurrency for insertions/deletions.



Index Locking To Prevent Phantoms


- **Index locking protocol** to prevent phantoms
 - Every relation must have at least one index.
 - A transaction can access tuples only after finding them through one or more indices on the relation
 - A transaction T_i that performs a lookup must lock all the index leaf nodes that it accesses, in S-mode
 - Even if the leaf node does not contain any tuple satisfying the index lookup (e.g. for a range query, no tuple in a leaf is in the range)
 - A transaction T_i that inserts, updates or deletes a tuple t_i in a relation r
 - must update all indices to r
 - must obtain exclusive locks on all index leaf nodes affected by the insert/update/delete
 - The rules of the two-phase locking protocol must be observed
- Guarantees that phantom phenomenon won't occur



Next-Key Locking to Prevent Phantoms

- Index-locking protocol to prevent phantoms locks entire leaf node
 - Can result in poor concurrency if there are many inserts
- **Next-key locking protocol:** provides higher concurrency
 - Lock all values that satisfy index lookup (match lookup value, or fall in lookup range)
 - Also lock next key value in index
 - even for inserts/deletes
 - Lock mode: S for lookups, X for insert/delete/update
- Ensures detection of query conflicts with inserts, deletes and updates

Consider B+-tree leaf nodes as below, with query predicate $7 \leq X \leq 16$.
Check what happens with next-key locking when inserting: (i) 15 and (ii) 7





TIMESTAMP BASED CONCURRENCY CONTROL



Timestamp-Based Protocols

- Each transaction T_i is issued a timestamp $TS(T_i)$ when it enters the system.
 - Each transaction has a *unique* timestamp
 - Newer transactions have timestamps strictly greater than earlier ones
 - Timestamp could be based on a logical counter
 - Real time may not be unique
 - Can use (wall-clock time, logical counter) to ensure
- Timestamp-based protocols manage concurrent execution such that **time-stamp order = serializability order**
- Several alternative protocols based on timestamps



Timestamp-Ordering Protocol

The **timestamp ordering (TSO) protocol**

- Maintains for each data Q two timestamp values:
 - **W-timestamp**(Q) is the largest time-stamp of any transaction that executed **write**(Q) successfully.
 - **R-timestamp**(Q) is the largest time-stamp of any transaction that executed **read**(Q) successfully.
- Imposes rules on read and write operations to ensure that
 - any conflicting operations are executed in timestamp order
 - out of order operations cause transaction rollback



Timestamp-Based Protocols (Cont.)

- Suppose a transaction T_i issues a **read**(Q)
 1. If $TS(T_i) \leq \mathbf{W}$ -timestamp(Q), then T_i needs to read a value of Q that was already overwritten.
 - Hence, the **read** operation is rejected, and T_i is rolled back.
 2. If $TS(T_i) \geq \mathbf{W}$ -timestamp(Q), then the **read** operation is executed, and R-timestamp(Q) is set to
 $\mathbf{max}(\mathbf{R}$ -timestamp(Q), $TS(T_i))$.



Timestamp-Based Protocols (Cont.)

- Suppose that transaction T_i issues **write**(Q).
 1. If $TS(T_i) < R\text{-timestamp}(Q)$, then the value of Q that T_i is producing was needed previously, and the system assumed that that value would never be produced.
 - Hence, the **write** operation is rejected, and T_i is rolled back.
 2. If $TS(T_i) < W\text{-timestamp}(Q)$, then T_i is attempting to write an obsolete value of Q .
 - Hence, this **write** operation is rejected, and T_i is rolled back.
 3. Otherwise, the **write** operation is executed, and $W\text{-timestamp}(Q)$ is set to $TS(T_i)$.



Example of Schedule Under TSO

- Is this schedule valid under TSO?

Assume that initially:

$$R-TS(A) = W-TS(A) = 0$$

$$R-TS(B) = W-TS(B) = 0$$

Assume $TS(T_{25}) = 25$ and

$$TS(T_{26}) = 26$$

- And how about this one, where initially

$$R-TS(Q) = W-TS(Q) = 0$$

T_{25}	T_{26}
read(B)	read(B) $B := B - 50$ write(B)
read(A)	read(A)
display($A + B$)	$A := A + 50$ write(A) display($A + B$)

T_{27}	T_{28}
read(Q)	write(Q)
write(Q)	



Another Example Under TSO


A partial schedule for several data items for transactions with timestamps 1, 2, 3, 4, 5, with all R-TS and W-TS = 0 initially

T_1	T_2	T_3	T_4	T_5
	read (Y)			read (X)
read (Y)		write (Y) write (Z)		
	read (Z) abort			read (Z)
read (X)		write (W) abort	read (W)	
				write (Y) write (Z)



Correctness of Timestamp-Ordering Protocol

- The timestamp-ordering protocol guarantees serializability since all the arcs in the precedence graph are of the form:



Thus, there will be no cycles in the precedence graph

- Timestamp protocol ensures freedom from deadlock as no transaction ever waits.
- But the schedule may not be cascade-free, and may not even be recoverable.



Recoverability and Cascade Freedom

- Solution 1:
 - A transaction is structured such that its writes are all performed at the end of its processing
 - All writes of a transaction form an atomic action; no transaction may execute while a transaction is being written
 - A transaction that aborts is restarted with a new timestamp
- Solution 2: Limited form of locking: wait for data to be committed before reading it
- Solution 3: Use commit dependencies to ensure recoverability



Thomas' Write Rule

- Modified version of the timestamp-ordering protocol in which obsolete **write** operations may be ignored under certain circumstances.
- When T_i attempts to write data item Q , if $TS(T_i) < W\text{-timestamp}(Q)$, then T_i is attempting to write an obsolete value of $\{Q\}$.
 - Rather than rolling back T_i as the timestamp ordering protocol would have done, this **{write}** operation can be ignored.
- Otherwise this protocol is the same as the timestamp ordering protocol.
- Thomas' Write Rule allows greater potential concurrency.
 - Allows some view-serializable schedules that are not conflict-serializable.



Validation-Based Protocol

- Idea: can we use commit time as serialization order?
- To do so:
 - Postpone writes to end of transaction
 - Keep track of data items read/written by transaction
 - **Validation** performed at commit time, detect any out-of-serialization order reads/writes
- Also called as **optimistic concurrency control** since transaction executes fully in the hope that all will go well during validation



Validation-Based Protocol

- Execution of transaction T_i is done in three phases.
 1. **Read and execution phase:** Transaction T_i writes only to temporary local variables
 2. **Validation phase:** Transaction T_i performs a “validation test” to determine if local variables can be written without violating serializability.
 3. **Write phase:** If T_i is validated, the updates are applied to the database; otherwise, T_i is rolled back.
- The three phases of concurrently executing transactions can be interleaved, but each transaction must go through the three phases in that order.
 - We assume for simplicity that the validation and write phase occur together, atomically and serially
 - I.e., only one transaction executes validation/write at a time.



Validation-Based Protocol (Cont.)

- Each transaction T_i has 3 timestamps
 - **StartTS**(T_i) : the time when T_i started its execution
 - **ValidationTS**(T_i): the time when T_i entered its validation phase
 - **FinishTS**(T_i) : the time when T_i finished its write phase
- Validation tests use above timestamps and read/write sets to ensure that serializability order is determined by validation time
 - Thus, $TS(T_i) = \text{ValidationTS}(T_i)$
- Validation-based protocol has been found to give greater degree of concurrency than locking/TSO if probability of conflicts is low.



Validation Test for Transaction T_j

- If for all T_i with $TS(T_i) < TS(T_j)$ either one of the following condition holds:
 - **finishTS(T_i) < startTS(T_j)**
 - **startTS(T_j) < finishTS(T_i) < validationTS(T_j)** and the set of data items written by T_i does not intersect with the set of data items read by T_j .
- then validation succeeds and T_j can be committed.
- Otherwise, validation fails and T_j is aborted.
 - *Justification:*
 - First condition applies when execution is not concurrent
 - The writes of T_j do not affect reads of T_i since they occur after T_i has finished its reads.
 - If the second condition holds, execution is concurrent, T_j does not read any item written by T_i .



Schedule Produced by Validation

- Example of schedule produced using validation

T_{25}	T_{26}
read(B)	read(B) $B := B - 50$ read(A) $A := A + 50$
read(A) <validate> display($A + B$)	<validate> write(B) write(A)



MULTIVERSION CONCURRENCY CONTROL



Multiversion Schemes

- Multiversion schemes keep old versions of data item to increase concurrency. Several variants:
 - **Multiversion Timestamp Ordering**
 - **Multiversion Two-Phase Locking**
 - **Snapshot isolation**
- Key ideas:
 - Each successful **write** results in the creation of a new version of the data item written.
 - Use timestamps to label versions.
 - When a **read(Q)** operation is issued, select an appropriate version of Q based on the timestamp of the transaction issuing the read request, and return the value of the selected version.
- **reads** never have to wait as an appropriate version is returned immediately.



Multiversion Timestamp Ordering

- Each data item Q has a sequence of versions $\langle Q_1, Q_2, \dots, Q_m \rangle$. Each version Q_k contains three data fields:
 - **Content** -- the value of version Q_k .
 - **W-timestamp**(Q_k) -- timestamp of the transaction that created (wrote) version Q_k
 - **R-timestamp**(Q_k) -- largest timestamp of a transaction that successfully read version Q_k



Multiversion Timestamp Ordering (Cont)

- Suppose that transaction T_i issues a **read**(Q) or **write**(Q) operation. Let Q_k denote the version of Q whose write timestamp is the largest write timestamp less than or equal to $TS(T_i)$.
 1. If transaction T_i issues a **read**(Q), then
 - the value returned is the content of version Q_k
 - If $R\text{-timestamp}(Q_k) < TS(T_i)$, set $R\text{-timestamp}(Q_k) = TS(T_i)$,
 2. If transaction T_i issues a **write**(Q)
 1. if $TS(T_i) < R\text{-timestamp}(Q_k)$, then transaction T_i is rolled back.
 2. if $TS(T_i) = W\text{-timestamp}(Q_k)$, the contents of Q_k are overwritten
 3. Otherwise, a new version Q_i of Q is created
 - $W\text{-timestamp}(Q_i)$ and $R\text{-timestamp}(Q_i)$ are initialized to $TS(T_i)$.



Multiversion Timestamp Ordering (Cont)

- Observations
 - Reads always succeed
 - A write by T_i is rejected if some other transaction T_j that (in the serialization order defined by the timestamp values) should read T_i 's write, has already read a version created by a transaction older than T_i .
- Protocol guarantees serializability



Multiversion Two-Phase Locking

- Differentiates between read-only transactions and update transactions
- **Update transactions** acquire read and write locks, and hold all locks up to the end of the transaction. That is, update transactions follow rigorous two-phase locking.
 - Read of a data item returns the latest version of the item
 - The first **write** of Q by T_i results in the creation of a new version Q_i of the data item Q written
 - $W\text{-timestamp}(Q_i)$ set to ∞ initially
 - When update transaction T_i completes, commit processing occurs:
 - Value **ts-counter** stored in the database is used to assign timestamps
 - **ts-counter** is locked in two-phase manner
 - Set $TS(T_i) = \mathbf{ts\text{-counter} + 1}$
 - Set $W\text{-timestamp}(Q_i) = TS(T_i)$ for all versions Q_i that it creates
 - **ts-counter = ts-counter + 1**



Multiversion Two-Phase Locking (Cont.)

■ Read-only transactions

- are assigned a timestamp = **ts-counter** when they start execution
- follow the multiversion timestamp-ordering protocol for performing reads
 - Do not obtain any locks
- Read-only transactions that start after T_i increments **ts-counter** will see the values updated by T_i .
- Read-only transactions that start before T_i increments the **ts-counter** will see the value before the updates by T_i .
- Only serializable schedules are produced.



MVCC: Implementation Issues

- Creation of multiple versions increases storage overhead
 - Extra tuples
 - Extra space in each tuple for storing version information
- Versions can, however, be garbage collected
 - E.g. if Q has two versions Q5 and Q9, and the oldest active transaction has timestamp > 9 , then Q5 will never be required again
- Issues with
 - primary key and foreign key constraint checking
 - Indexing of records with multiple versions

See textbook for details



Snapshot Isolation

- Motivation: Decision support queries that read large amounts of data have concurrency conflicts with OLTP transactions that update a few rows
 - Poor performance results
- Solution 1: Use multiversion 2-phase locking
 - Give logical “snapshot” of database state to read only transaction
 - Reads performed on snapshot
 - Update (read-write) transactions use normal locking
 - Works well, but how does system know a transaction is read only?
- (Partial) Solution 2: Give snapshot of database state to every transaction
 - Reads performed on snapshot
 - Use 2-phase locking on updated data items
 - Problem: variety of anomalies such as lost update can result
 - Better solution: snapshot isolation level (next slide)



Snapshot Isolation

- A transaction T1 executing with Snapshot Isolation
 - takes snapshot of committed data at start
 - always reads/modifies data in its own snapshot
 - updates of concurrent transactions are not visible to T1
 - writes of T1 complete when it commits
 - **First-committer-wins rule:**
 - ▶ Commits only if no other concurrent transaction has already written data that T1 intends to write.

Concurrent updates not visible
Own updates are visible
Not first-committer of X
Serialization error, T2 is rolled back

T1	T2	T3
W(Y := 1) Commit		
	Start R(X) → 0 R(Y) → 1	
		W(X:=2) W(Z:=3) Commit
	R(Z) → 0 R(Y) → 1 W(X:=3) Commit-Req Abort	



Snapshot Read

- Concurrent updates invisible to snapshot read

$X_0 = 100, Y_0 = 0$

T_1 deposits 50 in Y	T_2 withdraws 50 from X
$r_1(X_0, 100)$ $r_1(Y_0, 0)$	$r_2(Y_0, 0)$ $r_2(X_0, 100)$ $w_2(X_2, 50)$
$w_1(Y_1, 50)$ $r_1(X_0, 100)$ (update by T_2 not seen) $r_1(Y_1, 50)$ (can see its own updates)	$r_2(Y_0, 0)$ (update by T_1 not seen)

$X_2 = 50, Y_1 = 50$

©Silberschatz, Korth and Sudarshan



Snapshot Write: First Committer Wins

$X_0 = 100$

T_1 deposits 50 in X	T_2 withdraws 50 from X
$r_1(X_0, 100)$	$r_2(X_0, 100)$
$w_1(X_1, 150)$	$w_2(X_2, 50)$
$commit_1$	$commit_2$ (Serialization Error T_2 is rolled back)

$X_1 = 150$

- Variant: “**First-updater-wins**”
 - ▶ Check for concurrent updates when write occurs by locking item
 - But lock should be held till all concurrent transactions have finished
 - ▶ (Oracle uses this plus some extra features)
 - ▶ Differs only in when abort occurs, otherwise equivalent



Benefits of SI

- Reads are *never* blocked,
 - and also don't block other txns activities
- Performance similar to Read Committed
- Avoids several anomalies
 - No dirty read, i.e. no read of uncommitted data
 - No lost update
 - i.e. update made by a transaction is overwritten by another transaction that did not see the update)
 - No non-repeatable read
 - i.e. if read is executed again, it will see the same value
- Problems with SI
 - SI does not always give serializable executions
 - Serializable: among two concurrent txns, one sees the effects of the other
 - In SI: neither sees the effects of the other
 - Result: Integrity constraints can be violated



Snapshot Isolation

- E.g. of problem with SI
 - Initially $A = 3$ and $B = 17$
 - Serial execution: $A = ??, B = ??$
 - if both transactions start at the same time, with snapshot isolation: $A = ??, B = ??$
- Called **skew write**
- Skew also occurs with inserts
 - E.g:
 - Find max order number among all orders
 - Create a new order with order number = previous max + 1
 - Two transaction can both create order with same number
 - Is an example of phantom phenomenon

T_i	T_j
read(A)	
read(B)	
	read(A)
	read(B)
$A=B$	
	$B=A$
write(A)	
	write(B)



Snapshot Isolation Anomalies

- SI breaks serializability when transactions modify *different* items, each based on a previous state of the item the other modified
 - Not very common in practice
 - E.g., the TPC-C benchmark runs correctly under SI
 - when txns conflict due to modifying different data, there is usually also a shared item they both modify, so SI will abort one of them
 - But problems do occur
 - Application developers should be careful about write skew
- SI can also cause a read-only transaction anomaly, where read-only transaction may see an inconsistent state even if updaters are serializable
 - We omit details
- Using snapshots to verify primary/foreign key integrity can lead to inconsistency
 - Integrity constraint checking usually done outside of snapshot



Serializable Snapshot Isolation

- **Serializable snapshot isolation (SSI)**: extension of snapshot isolation that ensures serializability
- Snapshot isolation tracks write-write conflicts, but does not track read-write conflicts
 - where T_i writes a data a data item Q , T_j reads an earlier version of Q , but T_j is serialized after T_i
- Idea: track read-write dependencies separately, and roll-back transactions where cycles can occur
 - Ensures serializability
 - Details in book
- Implemented in PostgreSQL from version 9.1 onwards
 - PostgreSQL implementation of SSI also uses index locking to detect phantom conflicts, thus ensuring true serializability



SI Implementations

- Snapshot isolation supported by many databases
 - Including Oracle, PostgreSQL, SQL Server, IBM DB2, etc
 - Isolation level can be set to snapshot isolation
- Oracle implements “first updater wins” rule (variant of “first committer wins”)
 - concurrent writer check is done at time of write, not at commit time
 - Allows transactions to be rolled back earlier
- **Warning:** *even if isolation level is set to serializable, Oracle actually uses snapshot isolation*
 - Old versions of PostgreSQL prior to 9.1 did this too
 - Oracle and PostgreSQL < 9.1 do not support true serializable execution



Working Around SI Anomalies

- Can work around SI anomalies for specific queries by using **select .. for update** (supported e.g. in Oracle)
 - E.g.,
 - **select max(orderno) from orders for update**
 - read value into local variable maxorder
 - insert into orders (maxorder+1, ...)
- **select for update (SFU) clause** treats all data read by the query as if it were also updated, preventing concurrent updates
- Can be added to queries to ensure serializability in many applications
 - Does not handle phantom phenomenon/predicate reads though



WEAK LEVELS OF CONCURRENCY



Weak Levels of Consistency

- **Degree-two consistency:** differs from two-phase locking in that S-locks may be released at any time, and locks may be acquired at any time
 - X-locks must be held till end of transaction
 - Serializability is not guaranteed, programmer must ensure that no erroneous database state will occur]
- **Cursor stability:**
 - For reads, each tuple is locked, read, and lock is immediately released
 - X-locks are held till end of transaction
 - Special case of degree-two consistency



Weak Levels of Consistency in SQL

- SQL allows non-serializable executions
 - **Serializable**: is the default
 - **Repeatable read**: allows only committed records to be read, and repeating a read should return the same value (so read locks should be retained)
 - However, the phantom phenomenon need not be prevented
 - T1 may see some records inserted by T2, but may not see others inserted by T2
 - **Read committed**: same as degree two consistency, but most systems implement it as cursor-stability
 - **Read uncommitted**: allows even uncommitted data to be read
- In most database systems, read committed is the default consistency level
 - Can be changed as database configuration parameter, or per transaction
 - **set isolation level serializable**



Concurrency Control across User Interactions

- Many applications need transaction support across user interactions
 - Can't use locking for long durations
- Application level concurrency control
 - Each tuple has a version number
 - Transaction notes version number when reading tuple
 - **select** r.balance, r.version **into** :A, :version
from r **where** acctId =23
 - When writing tuple, check that current version number is same as the version when tuple was read
 - **update** r **set** r.balance = r.balance + :deposit, r.version = r.version+1
where acctId = 23 **and** r.version = :version



Concurrency Control across User Interactions

- Equivalent to **optimistic concurrency control without validating read set**
 - Unlike SI, reads are not guaranteed to be from a single snapshot.
 - Does not guarantee serializability
 - But avoids some anomalies such as “lost update anomaly”
- Used internally in Hibernate ORM system
- Implemented manually in many applications
- Version numbers stored in tuples can also be used to support first committer wins check of snapshot isolation



ADVANCED TOPICS IN CONCURRENCY CONTROL



Online Index Creation

- Problem: how to create an index on a large relation without affecting concurrent updates
 - Index construction may take a long time
 - Two-phase locking will block all concurrent updates
- Key ideas:
 - build index on a snapshot of the relation, but keep track of all updates that occur after snapshot
 - Updates are not applied on the index at this point
 - Then apply subsequent updates to catch up
 - Acquire relation lock towards end of catchup phase to block concurrent updates
 - Catch up with remaining updates, and add index to system catalog
 - Subsequent transactions will find the index in catalog and update it



Concurrency in Index Structures

- Indices are unlike other database items in that their only job is to help in accessing data.
- Index-structures are typically accessed very often, much more than other database items.
 - Treating index-structures like other database items, e.g. by 2-phase locking of index nodes can lead to low concurrency.
- There are several index concurrency protocols where locks on internal nodes are released early, and not in a two-phase fashion.
 - It is acceptable to have nonserializable concurrent access to an index as long as the accuracy of the index is maintained.
 - In particular, the exact values read in an internal node of a B⁺-tree are irrelevant so long as we land up in the correct leaf node.



Concurrency in Index Structures (Cont.)

- **Crabbing protocol** used instead of two-phase locking on the nodes of the B⁺-tree during search/insertion/deletion:
 - First lock the root node in shared mode.
 - After locking all required children of a node in shared mode, release the lock on the node
 - During insertion/deletion, upgrade leaf node locks to exclusive mode.
 - When splitting or coalescing requires changes to a parent, lock the parent in exclusive mode.
- Above protocol can cause excessive deadlocks
 - Searches coming down the tree deadlock with updates going up the tree
 - Can abort and restart search, without affecting transaction
- The **B-link tree locking protocol** improves concurrency
 - Intuition: release lock on parent before acquiring lock on child
 - And deal with changes that may have happened between lock release and acquire



Concurrency Control in Main-Memory Databases

- Index locking protocols can be simplified with main-memory databases
 - Short term lock can be obtained on entire index for duration of an operation, serializing updates on the index
 - Avoids overheads of multiple lock acquire/release
 - No major penalty since operations finish fast, since there is no disk wait
- Latch-free techniques for data-structure update can speed up operations further



Latch-Free Data-structure Updates

- This code is not safe without latches if executed concurrently:

```
insert(value, head) {  
    node = new node  
    node->value = value  
    node->next = head  
    head = node  
}
```

- This code is safe

```
insert latchfree(head, value) {  
    node = new node  
    node->value = value  
    repeat  
        oldhead = head  
        node->next = oldhead  
        result = CAS(head, oldhead, node)  
    until (result == success)  
}
```



Latch-Free Data-structure Updates

- This code is not safe without latches if executed concurrently:

```
insert(value, head) {  
    node = new node  
    node->value = value  
    node->next = head  
    head = node  
}
```

- This code is safe

```
insert latchfree(head, value) {  
    node = new node  
    node->value = value  
    repeat  
        oldhead = head  
        node->next = oldhead  
        result = CAS(head, oldhead, node)  
    until (result == success)  
}
```



Latch-Free Data-structures (Cont.)

- *Consider:*

```
delete latchfree(head) {  
  /* This function is not quite safe; see explanation in text. */  
  repeat  
    oldhead = head  
    newhead = oldhead->next  
    result = CAS(head, oldhead, newhead)  
  until (result == success)  
}
```

- Above code is almost correct, but has a concurrency bug
 - P1 initiates delete with N1 as head; concurrently P2 deletes N1 and next node N2, and then reinserts N1 as head, with N3 as next
 - P1 may set head as N2 instead of N3.
- Known as ABA problem
- See book for details of how to avoid this problem



Concurrency Control with Operations

- Consider this non-two phase schedule, which preserves database integrity constraints
- Can be understood as transaction performing increment operation
 - E.g. increment(A, -50), increment (B, 50)
 - As long as increment operation does not return actual value, increments can be reordered
 - ***Increments commute***
 - New increment-mode lock to support reordering
 - Conflict matrix with increment lock mode
 - *Two increment operations do not conflict with each other*

T_1	T_2
read(A) $A := A - 50$ write(A)	read(B) $B := B - 10$ write(B)
read(B) $B := B + 50$ write(B)	read(A) $A := A + 10$ write(A)

	S	X	I
S	true	false	false
X	false	false	false
I	false	false	true



Concurrency Control with Operations (Cont.)

- Undo of $\text{increment}(v, n)$ is performed by $\text{increment}(v, -n)$
- $\text{Increment_conditional}(v, n)$:
 - Updates v by adding n to it, as long as final $v > 0$, fails otherwise
 - Can be used to model, e.g. number of available tickets, *avail_tickets*, for a concert
 - $\text{Increment_conditional}$ is NOT commutative
 - E.g. last few tickets for a concert
 - But reordering may still be acceptable



Real-Time Transaction Systems

- Transactions in a system may have deadlines within which they must be completed.
 - Hard deadline: missing deadline is an error
 - Firm deadline: value of transaction is 0 in case deadline is missed
 - Soft deadline: transaction still has some value if done after deadline
- Locking can cause blocking
- Optimistic concurrency control (validation protocol) has been shown to do well in a real-time setting



End of Chapter 18

Database System Concepts, 7th Ed.

©Silberschatz, Korth and Sudarshan

See www.db-book.com for conditions on re-use



View Serializability

- Let S and S' be two schedules with the same set of transactions. S and S' are **view equivalent** if the following three conditions are met, for each data item Q ,
 1. If in schedule S , transaction T_i reads the initial value of Q , then in schedule S' also transaction T_i must read the initial value of Q .
 2. If in schedule S transaction T_i executes **read**(Q), and that value was produced by transaction T_j (if any), then in schedule S' also transaction T_i must read the value of Q that was produced by the same **write**(Q) operation of transaction T_j .
 3. The transaction (if any) that performs the final **write**(Q) operation in schedule S must also perform the final **write**(Q) operation in schedule S' .
- As can be seen, view equivalence is also based purely on **reads** and **writes** alone.



View Serializability (Cont.)

- A schedule S is **view serializable** if it is view equivalent to a serial schedule.
- Every conflict serializable schedule is also view serializable.
- Below is a schedule which is view-serializable but *not* conflict serializable.

T_3	T_4	T_6
read(Q)	write(Q)	
write(Q)		write(Q)

- What serial schedule is above equivalent to?
- Every view serializable schedule that is not conflict serializable has **blind writes**.



Test for View Serializability

- The precedence graph test for conflict serializability cannot be used directly to test for view serializability.
 - Extension to test for view serializability has cost exponential in the size of the precedence graph.
- The problem of checking if a schedule is view serializable falls in the class of *NP*-complete problems.
 - Thus existence of an efficient algorithm is *extremely* unlikely.
- However practical algorithms that just check some **sufficient conditions** for view serializability can still be used.



Other Notions of Serializability

- The schedule below produces same outcome as the serial schedule $\langle T_1, T_5 \rangle$, yet is not conflict equivalent or view equivalent to it.

T_1	T_5
read(A)	
$A := A - 50$	
write(A)	
	read(B)
	$B := B - 10$
	write(B)
read(B)	
$B := B + 50$	
write(B)	
	read(A)
	$A := A + 10$
	write(A)

- Determining such equivalence requires analysis of operations other than read and write.
 - Operation-conflicts, operation locks